

# Mémoires

de la SOCIÉTÉ MATHÉMATIQUE DE FRANCE

## MICROLOCALIZATION OF SUBANALYTIC SHEAVES

**Numéro 135**  
**Nouvelle série**

**Luca PRELLI**

**2 0 1 3**

**SOCIÉTÉ MATHÉMATIQUE DE FRANCE**

Publié avec le concours du Centre National de la Recherche Scientifique

---

### **Comité de rédaction**

Jean BARGE  
Emmanuel BREUILLARD  
Gérard BESSON  
Antoine CHAMBERT-LOIR  
Jean-François DAT  
Jean-Marc DELORT

Charles FAVRE  
Daniel HUYBRECHTS  
Yves LE JAN  
Laure SAINT-RAYMOND  
Wilhem SCHLAG

Raphaël KRIKORIAN (dir.)

### **Diffusion**

Maison de la SMF  
Case 916 - Luminy  
13288 Marseille Cedex 9  
France  
smf@smf.univ-mrs.fr

Hindustan Book Agency  
O-131, The Shopping Mall  
Arjun Marg, DLF Phase 1  
Gurgaon 122002, Haryana  
Inde

AMS  
P.O. Box 6248  
Providence RI 02940  
USA  
www.ams.org

### **Tarifs**

*Vente au numéro* : 30 € (\$ 45)

*Abonnement* Europe : 262 € hors Europe : 296 € (\$ 444)

Des conditions spéciales sont accordées aux membres de la SMF.

### **Secrétariat : Nathalie Christiaën**

Mémoires de la SMF  
Société Mathématique de France  
Institut Henri Poincaré, 11, rue Pierre et Marie Curie  
75231 Paris Cedex 05, France  
Tél : (33) 01 44 27 67 99 • Fax : (33) 01 40 46 90 96  
revues@smf.ens.fr • <http://smf.emath.fr/>

© Société Mathématique de France 2013

*Tous droits réservés (article L 122-4 du Code de la propriété intellectuelle). Toute représentation ou reproduction intégrale ou partielle faite sans le consentement de l'éditeur est illicite. Cette représentation ou reproduction par quelque procédé que ce soit constituerait une contrefaçon sanctionnée par les articles L 335-2 et suivants du CPI.*

ISSN 0249-633-X

ISBN 978-2-85629-768-1

Directeur de la publication : Marc PEIGNÉ

---

MÉMOIRES DE LA SMF 135

**MICROLOCALIZATION OF  
SUBANALYTIC SHEAVES**

**Luca Prelli**

**Société Mathématique de France 2013**  
Publié avec le concours du Centre National de la Recherche Scientifique

*L. Prelli*

Dipartimento di Matematica, Università degli Studi di Padova, Via Trieste 63,  
35121 Padova, Italia..

*E-mail* : `lprelli@math.unipd.it`

---

**2000 Mathematics Subject Classification.** — 32C38, 35A27, 18F20, 32B20.

**Key words and phrases.** — Algebraic analysis, specialization, normal deformation, microlocalization, subanalytic sheaves.

---

# MICROLOCALIZATION OF SUBANALYTIC SHEAVES

Luca Prelli

**Abstract.** — We define the specialization and microlocalization functors for subanalytic sheaves. Applying these tools to the sheaves of tempered and Whitney holomorphic functions, we generalize some classical constructions. We also prove that the microlocalizations of tempered and Whitney holomorphic functions have a natural structure of module over the ring of microdifferential operators, and are locally invariant under contact transformations.

**Résumé (Microlocalisation des faisceaux sous-analytiques).** — On définit la spécialisation et la microlocalisation pour les faisceaux sous-analytiques. En appliquant ces outils aux faisceaux des fonctions holomorphes tempérées et de Whitney, on généralise des constructions classiques. On démontre aussi que les microlocalisations des fonctions holomorphes tempérées et de Whitney ont une structure naturelle de module sur l'anneau des opérateurs microdifférentiels, et sont localement invariants par transformations de contact.



## CONTENTS

<b>Introduction</b> .....	1
Acknowledgments .....	3
<b>1. Review on sheaves on subanalytic sites</b> .....	5
1.1. Sheaves on subanalytic sites .....	5
1.2. Modules over a $k_{X^{\text{sa}}}$ -algebra .....	7
<b>2. Conic sheaves on subanalytic sites</b> .....	9
2.1. Conic sheaves on topological spaces .....	9
2.2. Conic sheaves on subanalytic sites .....	11
2.3. An equivalence of categories .....	14
2.4. Derived category .....	17
2.5. Operations .....	21
<b>3. Fourier-Sato transform for subanalytic sheaves</b> .....	27
3.1. Conic sheaves on vector bundles .....	27
3.2. Fourier-Sato transformation .....	30
<b>4. Specialization of subanalytic sheaves</b> .....	35
4.1. Review on normal deformation .....	35
4.2. Specialization of subanalytic sheaves .....	36
<b>5. Microlocalization of subanalytic sheaves</b> .....	41
5.1. Microlocalization of subanalytic sheaves .....	41
5.2. The functor $\mu\text{hom}^{\text{sa}}$ .....	43
5.3. Microlocalization and microsupport .....	45
5.4. The link with the functor $\mu$ of microlocalization .....	48
<b>6. Holomorphic functions with growth conditions</b> .....	51
6.1. Review on temperate and formal cohomology .....	51
6.2. Tempered and Whitney holomorphic functions .....	53

6.3. Asymptotic expansions .....	54
6.4. Microlocalization of $\mathcal{O}_X^t$ and $\mathcal{O}_X^w$ .....	58
<b>7. Integral transforms</b> .....	<b>61</b>
7.1. $\mathcal{E}_X$ -modules .....	61
7.2. Integral transforms .....	62
7.3. Microlocal integral transformations .....	72
7.4. Contact transformations .....	73
<b>A. Review on subanalytic sets</b> .....	<b>77</b>
A.1. Properties of subanalytic subsets .....	77
A.2. Ind-sheaves and subanalytic sites .....	79
A.3. Inverse image for tempered holomorphic functions .....	81
A.4. Inverse image for Whitney holomorphic functions .....	84
<b>Bibliography</b> .....	<b>89</b>



## INTRODUCTION

After the fundamental works of Sato on hyperfunctions and microfunctions and the development of algebraic analysis, the methods of cohomological theory of sheaves became very useful for studying systems of PDE on real or complex analytic manifolds. Motivated by the study of solutions with growth conditions of a system of PDE (Riemann-Hilbert correspondence, Laplace transform, etc.), Kashiwara and Schapira in [16] introduced the notion of ind-sheaf, and defined the formalism of six Grothendieck operations in this framework. They defined the subanalytic site (a site whose open sets are subanalytic and the coverings are locally finite) and obtained the ind-sheaves of tempered and Whitney holomorphic functions (which are objects of the derived category of sheaves on this site) by including subanalytic sheaves into the category of ind-sheaves. Then, in [28], a direct, self-contained and elementary construction of the six Grothendieck operations for subanalytic sheaves was established. Important examples of applications of subanalytic sheaves to  $\mathcal{D}$ -modules can be found in [24] and [25].

The microlocalization functor for sheaves on a real analytic manifold was originally introduced by Sato to perform a microlocal analysis of the singularities of hyperfunction solutions of systems of linear PDE on complex manifolds. It was generalized to the framework of ind-sheaves in [19]. It is natural to ask if it is possible to develop microlocalization on the subanalytic site avoiding the heavy theory of ind-sheaves. The aim of this work is to extend some classical constructions for sheaves, as the functors of specialization and microlocalization, to the framework of subanalytic sheaves.

We introduce first the category of conic subanalytic sheaves on an analytic manifold endowed with an action of  $\mathbb{R}^+$ . In order to do that we have to choose a suitable definition: indeed there are several definitions, which are equivalent in the classical case but not in the framework of subanalytic sheaves. We choose the one which satisfies some desirable properties, as the equivalence with sheaves on the conic topology associated to the action. Thanks to this equivalence we can also represent conic sheaves as limits

of conic  $\mathbb{R}$ -constructible sheaves. Then we extend the Fourier-Sato transform to the category of conic subanalytic sheaves on a vector bundle. This construction was also motivated by the sheaf theoretical interpretation given in [31] of the Laplace isomorphisms of Kashiwara and Schapira. At this point we can start studying subanalytic sheaves from a microlocal point of view by introducing the functors of specialization and microlocalization along a submanifold of a real analytic manifold. As an interesting application, the specialization is the key tool used in order to give a functorial construction of asymptotically developable functions (see also the recent developments in [11]). We give an estimate of the support of microlocalization using the subanalytic analogue of the notion of ind-microsupport of [17] and its functorial properties developed in [23]. We also show that the functor of microlocalization is related with the functor of ind-microlocalization defined in [19]. Then, applying specialization (resp. microlocalization) to the subanalytic sheaves of tempered and Whitney holomorphic functions, we generalize tempered and formal specialization (resp. microlocalization). In this way we get a unifying description of Andronikof's [1] and Colin's [6] "ad hoc" constructions.

As an application, we prove that the microlocalizations of  $\mathcal{O}^t$  and  $\mathcal{O}^w$  have (in cohomology) a natural structure of  $\mathcal{E}$ -module and that locally they are invariant under contact transformations. Only in the case of  $\mathcal{O}^t$  these results were proven in [1]. Furthermore, using DG-methods and ind-microlocalization, in [10] the author proved that the microlocalization of tempered holomorphic functions is an object of the derived category of  $\mathcal{E}$ -modules. The  $\mathcal{E}$ -module structure, combined with the estimate for the support of microlocalization, was essential for the proof of a Cauchy-Kowalevskaya-Kashiwara theorem with growth conditions given in [29].

In more details the contents of this work are as follows.

In Chapter 1 we recall the results on subanalytic sheaves of [16] and [28].

In Chapter 2 we construct the category of conic sheaves on a subanalytic site endowed with an action of  $\mathbb{R}^+$ .

In Chapter 3 we consider a vector bundle  $E$  over a real analytic manifold and its dual  $E^*$  endowed with the natural action of  $\mathbb{R}^+$ . We define the Fourier-Sato transform which gives an equivalence between conic subanalytic sheaves on  $E$  and conic subanalytic sheaves on  $E^*$ .

Then we define the functor  $\nu_M^{\text{sa}}$  of specialization along a submanifold  $M$  of a real analytic manifold  $X$  (Chapter 4) and its Fourier-Sato transform, the functor  $\mu_M^{\text{sa}}$  of microlocalization (Chapter 5). We introduce the functor  $\mu\text{hom}^{\text{sa}}$  for subanalytic sheaves and we give an estimate of its support using the notion of microsupport of [17]. Then we study its relation with the functor of ind-microlocalization of [19].

We apply these results in Chapter 6. We study the connection between specialization and microlocalization for subanalytic sheaves and the classical ones. Specialization of subanalytic sheaves generalizes tempered and formal specialization of [1]