Astérisque

AST Recent advances in operator algebras - Orléans, 1992 : Pages préliminaires

Astérisque, tome 232 (1995), p. 1-9 <http://www.numdam.org/item?id=AST_1995_232_1_0>

© Société mathématique de France, 1995, tous droits réservés.

L'accès aux archives de la collection « Astérisque » (http://smf4.emath.fr/ Publications/Asterisque/) implique l'accord avec les conditions générales d'utilisation (http://www.numdam.org/conditions). Toute utilisation commerciale ou impression systématique est constitutive d'une infraction pénale. Toute copie ou impression de ce fichier doit contenir la présente mention de copyright.

\mathcal{N} umdam

Article numérisé dans le cadre du programme Numérisation de documents anciens mathématiques http://www.numdam.org/

ASTÉRISQUE

1995

RECENT ADVANCES IN OPERATOR ALGEBRAS

Orléans, 1992

SOCIÉTÉ MATHÉMATIQUE DE FRANCE

Publié avec le concours du CENTRE NATIONAL DE LA RECHERCHE SCIENTIFIQUE

Classification A.M.S. de chaque exposé

(le premier numéro est le plus significatif)

S. Baaj: 46L05, 46M05

A. Bauval : 58H15, 46L87, 47C15,47D25, 81R50

- M. Bekka, A. Valette: 22D25, 22E40, 46L05, 11F75
- E. Blanchard : 46L05, 46M05
- F. Boca: 46L55
- M. Landstad : 46L55
- L. Brown: 46L05
- P. De La Harpe : 46L35
- P. De La Harpe, D. Voiculescu : 46L35
- G. Pisier: 46L99, 46M99, 46B99
- S. Popa : 46L35, 46L50
- F. Rădulescu : 46L10, 46L50
- E. Størmer : 46L10, 46L50
- L. Vainerman : 81R50, 22A30
- D. Voiculescu: 46L50, 60F99, 43A99

Table des Matières

Introduction
Préface
Résumé des textes7
S. Baaj Représentation régulière du groupe quantique des déplacements de Woronowicz 11
A. Bauval Quantum group - and Poisson - deformation of $SU(2)$ 49
M.E.B. Bekka, A. Valette Lattices in semi-simple Lie groups, and multipliers of group C^* -algebras
E. Blanchard Tensor products of $C(X)$ -algebras over $C(X)$
 F. Boca Ergodic actions of compact matrix pseudogroups on C*-algebras
pseudogroups
L.G. Brown Homotopy of projections in C^* -algebras of stable rank one
P. De La Harpe Operator algebras, free groups and other groups
P. De La Harpe, D. Voiculescu A problem on the II ₁ -factors of Fuchsian groups
G. Pisier Exact operator spaces
S. Popa Free-independent sequences in type II ₁ factors and related problems

F. Rădulescu

A type III_{λ} factor with core isomorphic to the von Neumann algebra of a free group tensor $B(H)$
E. Størmer Entropy in operator algebras
L. Vainerman Hypergroup structures associated with Gel'fand pairs of compact quantum groups
D. Voiculescu Operations on certain non-commutative operator-valued random variables

Introduction

This book is the collection of talks given in the conference on operator algebras held in Orléans in July 1992. Orléans has always been a privileged place for operator algebras thanks to François Combes and Claire Delaroche whose kindness and devotion to the subject played a determinant role.

The content of the book describes the recent advances and several major topics of the theory of operator algebras.

First the theory of quantum groups which after the early work of Kac, Takesaki, Enock and Schwartz and Woronowicz is undergoing rapid changes. A very simple definition of these objects was obtained by Baaj and Skandalis, simply as a unitary operator V in the tensor square of a Hilbert space, $H \otimes H$ satisfying suitable multiplicativity conditions. This very fruitful point of view is analysed by Baaj in the special case of the quantum group $E_{\mu}(2)$ of Woronowicz with special relevance to the modular theory. The equally important deformation aspect of quantum groups ties up (in the paper of Bauval) with continous fields of C^* -algebras. The papers of Boca and Landstad deal with actions of compact quantum groups on C^* -algebras, analysed in the ergodic case by Boca and in the case of single crossed product by Landstad. Finally Vainerman analyses double cosets of compact quantum groups with respect to subgroups and computes corresponding characters in terms of q-orthogonal polynomials.

The second topic widely covered in this book is the analysis of operator algebras associated to free groups, in which the seminal work of Voiculescu on free probability theory plays a dominant role. This work of D. Voiculescu is a major step towards the classification of type II_1 factors beyond the hyperfinite case and the theory has already provided many unexpected results. In his paper Voiculescu gives in particular an explicit way to compute the spectrum of convolution operators on the free group. Radulescu's paper gives a simple presentation of a III_{λ} factor whose associated II_1 factor is the II_1 factor of a free group with infinitely many generators.

The II_1 factors associated to Fuchsian groups should belong to the class of II_1 factors "next to hyperfinite" and this question is analysed in the paper of de La Harpe and Voiculescu. P. de La Harpe and his collaborators have obtained general results in particular on simplicity for C^* -algebras and von Neumann algebras of discrete groups and a general review is given in de La Harpe's paper.

Finally S. Popa analyses the free analogue of central sequences for II_1 factors and shows that certain universal commuting squares involving amalgamated free products appear asymptotically in any inclusion of finite index, a result of great interest in the theory of subfactors.

The third topic which is quite active at present is the entropy for automorphisms of II_1 factors, a subject reviewed in Størmer's paper. After my initial work with Størmer this subject has evolved slowly due to the difficulty of making explicit computations of entropy. But a number of new results involving, in particular, Narnhofer, Thirring, Størmer and Sauvageot make it quite lively at present.

Thanks to the work of Effros, Haagerup, Pisier and their collaborators, the notion of operator space has found many interesting applications and has become a bridge between operator algebras and Banach spaces. The paper of Pisier develops the notion of exactness in this context, parallel to the well-known work of E. Kirchberg.

Finally, the papers of Blanchard, Brown and Bekka-Vallette deal with questions related to the K-theory of C^* -algebras. The first analyses the notion of tensor product of two C^* -algebras over C(X), the second deals with the subtle nuance between homotopy and equivalence of projections in general C^* -algebras; the third shows that the natural morphism $C^*(H) \to M(C^*(G))$ associated with a group inclusion $H \to G$ is in most cases of interest not injective.

A. Connes

Le colloque "Algèbres d'Opérateurs, Orléans 1992" a été organisé avec le concours

du C.N.R.S., des Universités d'Orléans et de Paris 6, du Ministère de l'Education Nationale et de la Culture, du Ministère des Affaires Etrangères, de la Communauté Européenne (dans le cadre du projet européen de K-théorie), du Conseil Régional du Centre, du Conseil Général du Loiret et de la ville d' Orléans.

Que ces organismes et institutions en soient ici remerciées!

RESUMÉS DES EXPOSÉS

S. BAAJ : Regular representation of the quantum $E_{\mu}(2)$ group of Woronowicz

Let H be a Hilbert space. In this article, under appropriate "regularity" conditions, we associate to every multiplicative unitary $V \in \mathcal{L}(H \otimes H)$, a pair of Hopf C*-algebras in duality. We show that the regular representation of the quantum $E_{\mu}(2)$ group of Woronowicz is a multiplicative unitary satisfying our conditions and we calculate its covariant representations. We also calculate the Haar measures of $E_{\mu}(2)$ and its Pontrjagyn dual and we give their modular theory.

A. BAUVAL : Quantum group - and Poisson - deformation of SU(2)

We endow Woronowicz's family of quantum groups $(SU_{\mu}(2))_{\mu \in \mathbb{R}^{\bullet}}$ with a structure of continuous field, and use the underlying continuous field of C^* -algebras to construct a deformation of Poisson-SU(2). We prove that this Poisson-deformation is, in some sense, unique. This enables us to compare it with the one constructed by Sheu.

M.E.B. BEKKA, A. VALETTE: Lattices in semi-simple Lie groups, and multipliers of group C*-algebras

Let Γ be a lattice in a non-compact simple Lie group G. We prove that the canonical map from the full C*-algebra $C^*(\Gamma)$ to the multiplier algebra $M(C^*(G))$ is not injective in general (it is never injective if G has Kazhdan's property (T), and not injective for many lattices either in SO(n,1) or SU(n,1)). For a locally compact group G, Fell introduced a property (WF3), stating that for any closed subgroup H of G, the canonical map from $C^*(H)$ to $M(C^*(G))$ is injective. We prove that, for an almost connected G, property (WF3) is equivalent to amenability.

E. BLANCHARD : Tensor products of C(X)-algebras over C(X)

Given a Hausdorff compact space X, we study the C^{*}-(semi)-norms on the algebraic tensor product $A \otimes_{alg,C(X)} B$ of two C(X)-algebras A and B over C(X). In particular, if one of the two C(X)-algebras defines a continuous field of C^{*}-algebras over X, there exist minimal and maximal C^{*}-norms on $A \otimes_{alg,C(X)} B$, but there does not exist any C^{*}-norm on $A \otimes_{alg,C(X)} B$ in general.

F.P. BOCA : Ergodic actions of compact matrix pseudogroups on C^* -algebras

A generalization of the classical finiteness theorem of Høegh-Krohn, Landstad and Størmer for ergodic actions of compact groups on operator algebras is proved for actions of compact matrix pseudogroups on C^* -algebras. This, together with the Takesaki-Takai type duality result of Baaj and Skandalis, show that the reduced C^* -crossed product of a unital C^* -algebra by an ergodic action of a compact matrix pseudogroup is a direct sum of C^* -algebras of compact operators.

L.G. BROWN : Homotopy of projections in C^* -algebras of stable rank one

S. Zhang has suggested the study of the following question for a particular projection